



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 :

C07D 239/94, 417/12, 401/12, A61K
31/505

A1

(11) International Publication Number:

WO 96/15118

(43) International Publication Date:

23 May 1996 (23.05.96)

(21) International Application Number: PCT/GB95/02606

(22) International Filing Date: 8 November 1995 (08.11.95)

(30) Priority Data:

9422866.5

12 November 1994 (12.11.94)

GB

9507308.6

7 April 1995 (07.04.95)

GB

(71) Applicant (for all designated States except US): ZENECA
LIMITED [GB/GB]; 15 Stanhope Gate, London W1Y 6LN
(GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BROWN, Dearg, Suther-
land [GB/GB]; Alderley Park, Macclesfield, Cheshire SK10
4TG (GB). MORRIS, Jeffrey, James [GB/GB]; Alderley
Park, Macclesfield, Cheshire SK10 4TG (GB). THOMAS,
Andrew, Peter [GB/GB]; Alderley Park, Macclesfield,
Cheshire SK10 4TG (GB).(74) Agent: TAIT, Brian, Steele; ZENECA Pharmaceuticals, Alder-
ley Park, Macclesfield, Cheshire SK10 4TG (GB).(81) Designated States: AL, AM, AT, AU, BB, BG, BR, BY, CA,
CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP,
KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG,
MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE,
SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European
patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU,
MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE,
LS, MW, SD, SZ, UG).


Published

With international search report.

(54) Title: ANILINE DERIVATIVES

(57) Abstract

The invention concerns aniline derivatives of formula (I) wherein m is 1, 2 or 3 and each R¹ includes halogeno, hydroxy, amino, hydroxyamino, ureido, trifluoromethoxy and (1-4C)alkyl; n is 0, 1, 2 or 3 and each R² includes halogeno, trifluoromethyl, hydroxy, amino, nitro, cyano and (1-4C)alkyl; X is a group of the formula CO, C(R³)₂, CH(OR³), C(R³)₂-C(R³)₂, C(R³)-C(R³), C-C, CH(CN), O, S, SO, SO₂, CONR³, SO₂NR³, NR³CO, NR³SO₂, OC(R³)₂, SC(R³)₂, C(R³)₂O or C(R³)₂S wherein each R³ is independently hydrogen or (1-4C)alkyl; and Q is a phenyl or naphthyl group or a 5- or 6-membered heteroaryl moiety containing 1, 2 or 3 heteroatoms selected from oxygen, nitrogen and sulphur, or a pharmaceutically-acceptable salt thereof; processes for their preparation, pharmaceutical compositions containing them, and the use of the receptor tyrosine kinase inhibitory properties of the compounds in the treatment of proliferative disease such as cancer.



(I)